

Demo Example Results

Default User

May 22, 2024

1 Global parameters

1.1 Global Warming Potentials (GWPs) over 100 years

GWP100 for CO₂: 1.0

GWP100 for CH₄: 34.0

GWP100 for N₂O: 298.0

1.2 Unit conversion factors

Conversion from mg CO₂-C m⁻² d⁻¹ to g CO_{2,eq} m⁻² yr⁻¹: 3.667


Conversion from mg CH₄ m⁻² d⁻¹ to g CO_{2,eq} m⁻² yr⁻¹: 16.55

Conversion from μg N₂O m⁻² d⁻¹ to g CO_{2,eq} m⁻² yr⁻¹: 0.1709

2 Yunzalin

2.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		152
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 18.295, LON: 97.3408
Monthly Temperatures	°C	21.3, 23.3, 26.2, 28.9, 28.3, 26.3, 25.9, 25.9, 26.2, 26.1, 24.5, 21.9
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	469.0
Catchment area	km ²	1370
Length of inundated river	km	5.590
Population	capita	3908
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.002, 0.003, 0.459, 0.536, 0.0
Mean catchment slope	%	24.00
Mean annual precipitation	mm/year	1451
Mean annual evapotranspiration	mm/year	1274
Soil wetness	mm over profile	412.0
Soil Olsen P content	kgP ha ⁻¹	5.658
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	461 900 000
Reservoir area	km ²	6.791
Maximum reservoir depth	m	185.0
Mean reservoir depth	m	68.00
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.97, 0.03, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.648
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	4.920
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.170
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.416
Mean monthly wind speed	m s ⁻¹	1.040
Water intake depth below surface	m	N/A



2.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	614.1
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	421.4
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-15.40
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	192.7
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	208.1
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	1413
Total CO ₂ emission per lifetime	ktCO _{2,eq}	141.3
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	99.73
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	44.82
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	306.4
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	451.0
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	3062
Total CH ₄ emission per lifetime	ktCO _{2,eq}	306.2
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	2.806
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	1.601
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	2.203
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	19.05
Total N ₂ O emission per lifetime	ktCO _{2,eq}	1.905
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	659.0
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	661.2

2.3 Emission plots




2.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	38.34
Retention coefficient	-	0.3653
Influent total N concentration	$\mu\text{g L}^{-1}$	17.58
Reservoir TN concentration	$\mu\text{g L}^{-1}$	11.16
Reservoir TP concentration	$\mu\text{g L}^{-1}$	24.28
Percentage of reservoir's surface area that is littoral	%	2.774
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	4.920
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	59.04
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	24.68
Water density at the bottom of the reservoir	kg m^{-3}	997.2
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	27.43
Water density at the surface of the reservoir	kg m^{-3}	996.4
Thermocline depth	m	1.459
Influent total N load	kgN yr^{-1}	11 300
Influent total P load	kgP yr^{-1}	24 640
Downstream TN concentration	mg L^{-1}	0.016 17

3 Belin

3.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		9
Reservoir type		unknown
Reservoir coordinates (lat/lon)	$^{\circ}$	LAT: 17.5197, LON: 97.2435
Monthly Temperatures	$^{\circ}\text{C}$	22.3, 24.0, 27.0, 29.5, 28.9, 26.8, 26.3, 26.3, 26.8, 27.1, 25.7, 23.1
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	1578
Catchment area	km ²	1907
Length of inundated river	km	74.99
Population	capita	12 240
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.028, 0.018, 0.671, 0.284, 0.0
Mean catchment slope	%	24.00
Mean annual precipitation	mm/year	2619
Mean annual evapotranspiration	mm/year	1338
Soil wetness	mm over profile	527.0
Soil Olsen P content	kgP ha ⁻¹	7.322
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	26 050 000 000
Reservoir area	km ²	434.9
Maximum reservoir depth	m	139.0
Mean reservoir depth	m	59.90
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.0, 0.075, 0.776, 0.149, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	6.040
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	4.870
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	3.995
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.459
Mean monthly wind speed	m s ⁻¹	1.050
Water intake depth below surface	m	N/A



3.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	541.5
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	371.6
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-76.49
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	169.9
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	246.4
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	107 100
Total CO ₂ emission per lifetime	ktCO _{2,eq}	10 710
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	109.1
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	42.56
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	130.7
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	282.4
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	122 800
Total CH ₄ emission per lifetime	ktCO _{2,eq}	12 280
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	0.5073
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.1043
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	0.3058
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	220.6
Total N ₂ O emission per lifetime	ktCO _{2,eq}	22.06
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	528.7
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	529.1

3.3 Emission plots




3.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	μg L ⁻¹	15.60
Retention coefficient	-	0.8740
Influent total N concentration	μg L ⁻¹	14.14
Reservoir TN concentration	μg L ⁻¹	1.750
Reservoir TP concentration	μg L ⁻¹	1.994
Percentage of reservoir's surface area that is littoral	%	2.840
Mean radiance at the reservoir	kWh m ⁻² d ⁻¹	4.870
Cumulative global horizontal radiance at the reservoir	kWh m ⁻² d ⁻¹	58.44
Bottom (hypolimnion) temperature in the reservoir	°C	25.34
Water density at the bottom of the reservoir	kg m ⁻³	997.0
Surface (epilimnion) temperature in the reservoir	°C	28.13
Water density at the surface of the reservoir	kg m ⁻³	996.2
Thermocline depth	m	4.081
Influent total N load	kgN yr ⁻¹	42 530
Influent total P load	kgP yr ⁻¹	46 920
Downstream TN concentration	mg L ⁻¹	0.002 068

4 Kabaung

4.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		35
Reservoir type		unknown
Reservoir coordinates (lat/lon)	$^{\circ}$	LAT: 18.8967, LON: 96.2208
Monthly Temperatures	$^{\circ}\text{C}$	21.6, 23.7, 27.2, 30.1, 29.3, 26.9, 26.5, 26.5, 27.0, 27.3, 25.4, 22.3
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	470.0
Catchment area	km ²	1181
Length of inundated river	km	21.60
Population	capita	142 200
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.003, 0.002, 0.349, 0.646, 0.0
Mean catchment slope	%	11.00
Mean annual precipitation	mm/year	1498
Mean annual evapotranspiration	mm/year	1346
Soil wetness	mm over profile	323.0
Soil Olsen P content	kgP ha ⁻¹	5.231
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	592 000 000
Reservoir area	km ²	44.19
Maximum reservoir depth	m	39.00
Mean reservoir depth	m	13.40
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.075, 0.031, 0.755, 0.139, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.021
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	1.000
Water intake depth below surface	m	N/A



4.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	1068
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	732.9
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-71.35
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	335.0
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	406.4
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	17 960
Total CO ₂ emission per lifetime	ktCO _{2,eq}	1796
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	231.0
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	210.6
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	614.3
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	1056
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	46 670
Total CH ₄ emission per lifetime	ktCO _{2,eq}	4667
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	3.440
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	1.498
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	2.469
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	152.0
Total N ₂ O emission per lifetime	ktCO _{2,eq}	15.20
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1462
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1465

4.3 Emission plots




4.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	198.2
Retention coefficient	-	0.4606
Influent total N concentration	$\mu\text{g L}^{-1}$	113.4
Reservoir TN concentration	$\mu\text{g L}^{-1}$	61.08
Reservoir TP concentration	$\mu\text{g L}^{-1}$	110.0
Percentage of reservoir's surface area that is littoral	%	14.18
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.030
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	60.36
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	24.88
Water density at the bottom of the reservoir	kg m^{-3}	997.1
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.48
Water density at the surface of the reservoir	kg m^{-3}	996.1
Thermocline depth	m	1.933
Influent total N load	kgN yr^{-1}	62 950
Influent total P load	kgP yr^{-1}	110 000
Downstream TN concentration	mg L^{-1}	0.082 75

5 Kun Chaung

5.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		47
Reservoir type		unknown
Reservoir coordinates (lat/lon)	$^{\circ}$	LAT: 18.4204, LON: 96.3639
Monthly Temperatures	$^{\circ}\text{C}$	21.6, 23.6, 26.9, 29.7, 29.0, 26.7, 26.2, 26.2, 26.8, 27.1, 25.3, 22.3
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	833.0
Catchment area	km ²	871.2
Length of inundated river	km	24.48
Population	capita	80 370
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.049, 0.02, 0.337, 0.594, 0.0
Mean catchment slope	%	11.00
Mean annual precipitation	mm/year	1852
Mean annual evapotranspiration	mm/year	1337
Soil wetness	mm over profile	366.0
Soil Olsen P content	kgP ha ⁻¹	5.291
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	833 200 000
Reservoir area	km ²	65.65
Maximum reservoir depth	m	43.00
Mean reservoir depth	m	12.70
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.583, 0.172, 0.157, 0.088, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	4.960
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	0.9600
Water intake depth below surface	m	N/A



5.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	911.9
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	625.8
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-45.17
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	286.1
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	331.3
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	21 750
Total CO ₂ emission per lifetime	ktCO _{2,eq}	2175
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	237.0
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	231.5
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	609.5
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	1078
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	70 770
Total CH ₄ emission per lifetime	ktCO _{2,eq}	7077
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	3.202
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	1.316
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	2.259
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	210.2
Total N ₂ O emission per lifetime	ktCO _{2,eq}	21.02
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1409
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1412

5.3 Emission plots




5.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	90.1
Retention coefficient	-	0.4790
Influent total N concentration	$\mu\text{g L}^{-1}$	112.6
Reservoir TN concentration	$\mu\text{g L}^{-1}$	57.89
Reservoir TP concentration	$\mu\text{g L}^{-1}$	49.97
Percentage of reservoir's surface area that is littoral	%	15.85
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.030
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	60.36
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	24.88
Water density at the bottom of the reservoir	kg m^{-3}	997.1
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.18
Water density at the surface of the reservoir	kg m^{-3}	996.2
Thermocline depth	m	2.146
Influent total N load	kgN yr^{-1}	81 710
Influent total P load	kgP yr^{-1}	65 390
Downstream TN concentration	mg L^{-1}	0.077 55

6 Thauk Ye Khat 2

6.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		120
Reservoir type		unknown
Reservoir coordinates (lat/lon)	$^{\circ}$	LAT: 18.9141, LON: 96.6199
Monthly Temperatures	$^{\circ}\text{C}$	21.9, 24.2, 27.5, 30.3, 29.2, 27.0, 26.6, 26.5, 27.0, 27.3, 25.5, 22.5
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	447.0
Catchment area	km ²	2160
Length of inundated river	km	12.27
Population	capita	56 450
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.004, 0.005, 0.436, 0.554, 0.0
Mean catchment slope	%	27.00
Mean annual precipitation	mm/year	1476
Mean annual evapotranspiration	mm/year	1325
Soil wetness	mm over profile	343.0
Soil Olsen P content	kgP ha ⁻¹	7.836
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	171 800 000
Reservoir area	km ²	8.610
Maximum reservoir depth	m	46.00
Mean reservoir depth	m	20.00
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.177, 0.688, 0.042, 0.094, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.243
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	1.050
Water intake depth below surface	m	N/A



6.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	783.4
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	537.6
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-48.25
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	245.8
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	294.0
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	2532
Total CO ₂ emission per lifetime	ktCO _{2,eq}	253.2
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	184.0
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	134.8
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	954.7
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	1273
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	10 960
Total CH ₄ emission per lifetime	ktCO _{2,eq}	1096
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	0.3286
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.2595
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	0.2940
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	2.829
Total N ₂ O emission per lifetime	ktCO _{2,eq}	0.2829
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1567
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1568

6.3 Emission plots




6.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	73.52
Retention coefficient	-	0.1248
Influent total N concentration	$\mu\text{g L}^{-1}$	6.817
Reservoir TN concentration	$\mu\text{g L}^{-1}$	5.949
Reservoir TP concentration	$\mu\text{g L}^{-1}$	64.40
Percentage of reservoir's surface area that is littoral	%	8.394
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.030
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	60.36
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	25.08
Water density at the bottom of the reservoir	kg m^{-3}	997.1
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.58
Water density at the surface of the reservoir	kg m^{-3}	996.1
Thermocline depth	m	1.363
Influent total N load	kgN yr^{-1}	6583
Influent total P load	kgP yr^{-1}	70 990
Downstream TN concentration	mg L^{-1}	0.008 559

7 Phyu Chaung

7.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		101
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 18.5067, LON: 96.3519
Monthly Temperatures	°C	21.3, 23.5, 26.9, 29.9, 29.0, 26.6, 26.2, 26.2, 26.7, 27.0, 25.2, 22.1
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	677.0
Catchment area	km ²	1041
Length of inundated river	km	30.55
Population	capita	106 300
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.026, 0.004, 0.39, 0.58, 0.0
Mean catchment slope	%	11.00
Mean annual precipitation	mm/year	1707
Mean annual evapotranspiration	mm/year	1341
Soil wetness	mm over profile	355.0
Soil Olsen P content	kgP ha ⁻¹	4.881
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	540 600 000
Reservoir area	km ²	42.19
Maximum reservoir depth	m	60.00
Mean reservoir depth	m	12.80
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.55, 0.052, 0.12, 0.278, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.068
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	0.9900
Water intake depth below surface	m	N/A



7.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	953.5
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	654.4
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-142.7
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	299.1
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	441.9
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	18 640
Total CO ₂ emission per lifetime	ktCO _{2,eq}	1864
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	245.2
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	248.7
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	799.3
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	1293
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	54 560
Total CH ₄ emission per lifetime	ktCO _{2,eq}	5456
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	3.473
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	1.908
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	2.691
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	146.5
Total N ₂ O emission per lifetime	ktCO _{2,eq}	14.65
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1735
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1738

7.3 Emission plots




7.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	121.2
Retention coefficient	-	0.3805
Influent total N concentration	$\mu\text{g L}^{-1}$	116.0
Reservoir TN concentration	$\mu\text{g L}^{-1}$	71.73
Reservoir TP concentration	$\mu\text{g L}^{-1}$	77.74
Percentage of reservoir's surface area that is littoral	%	17.23
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.030
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	60.36
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	24.68
Water density at the bottom of the reservoir	kg m^{-3}	997.2
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.20
Water density at the surface of the reservoir	kg m^{-3}	996.2
Thermocline depth	m	1.921
Influent total N load	kgN yr^{-1}	81 800
Influent total P load	kgP yr^{-1}	85 430
Downstream TN concentration	mg L^{-1}	0.1034

8 Shwegyin

8.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		107
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 17.9702, LON: 96.935
Monthly Temperatures	°C	22.9, 24.7, 27.7, 30.2, 29.5, 27.3, 26.9, 26.8, 27.3, 27.6, 26.2, 23.5
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	1423
Catchment area	km ²	874.1
Length of inundated river	km	30.78
Population	capita	36 010
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.056, 0.023, 0.392, 0.528, 0.0
Mean catchment slope	%	24.00
Mean annual precipitation	mm/year	2449
Mean annual evapotranspiration	mm/year	1320
Soil wetness	mm over profile	501.0
Soil Olsen P content	kgP ha ⁻¹	9.629
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	1 726 000 000
Reservoir area	km ²	86.03
Maximum reservoir depth	m	50.00
Mean reservoir depth	m	20.10
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.462, 0.215, 0.096, 0.227, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	6.145
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	4.940
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.160
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.445
Mean monthly wind speed	m s ⁻¹	0.9400
Water intake depth below surface	m	N/A



8.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	783.9
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	538.0
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-116.5
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	245.9
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	362.5
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	31 180
Total CO ₂ emission per lifetime	ktCO _{2,eq}	3118
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	195.5
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	123.2
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	506.5
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	825.2
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	70 990
Total CH ₄ emission per lifetime	ktCO _{2,eq}	7099
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	0.6082
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.2151
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	0.4117
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	52.33
Total N ₂ O emission per lifetime	ktCO _{2,eq}	5.233
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1188
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1188

8.3 Emission plots




8.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	29.92
Retention coefficient	-	0.5264
Influent total N concentration	$\mu\text{g L}^{-1}$	13.97
Reservoir TN concentration	$\mu\text{g L}^{-1}$	6.473
Reservoir TP concentration	$\mu\text{g L}^{-1}$	15.16
Percentage of reservoir's surface area that is littoral	%	8.793
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	4.940
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	59.28
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	25.73
Water density at the bottom of the reservoir	kg m^{-3}	996.9
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.75
Water density at the surface of the reservoir	kg m^{-3}	996.0
Thermocline depth	m	2.319
Influent total N load	kgN yr^{-1}	17 380
Influent total P load	kgP yr^{-1}	37 220
Downstream TN concentration	mg L^{-1}	0.008 105

9 Thauk Ye Khat 1

9.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		151
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 18.9439, LON: 96.7188
Monthly Temperatures	°C	20.8, 22.9, 26.4, 29.2, 28.5, 26.4, 26.0, 26.0, 26.5, 26.5, 24.6, 21.5
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	411.0
Catchment area	km ²	1622
Length of inundated river	km	26.23
Population	capita	46 320
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.0, 0.002, 0.484, 0.514, 0.0
Mean catchment slope	%	27.00
Mean annual precipitation	mm/year	1438
Mean annual evapotranspiration	mm/year	1326
Soil wetness	mm over profile	329.0
Soil Olsen P content	kgP ha ⁻¹	8.263
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	1 318 000 000
Reservoir area	km ²	29.70
Maximum reservoir depth	m	141.0
Mean reservoir depth	m	44.40
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.006, 0.0, 0.556, 0.438, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	6.056
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.090
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.506
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.442
Mean monthly wind speed	m s ⁻¹	1.140
Water intake depth below surface	m	N/A



9.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	755.1
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	518.2
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-224.8
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	236.9
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	461.7
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	13 710
Total CO ₂ emission per lifetime	ktCO _{2,eq}	1371
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	126.9
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	87.55
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	272.1
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	486.6
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	14 450
Total CH ₄ emission per lifetime	ktCO _{2,eq}	1445
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	0.5632
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.1549
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	0.3590
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	16.73
Total N ₂ O emission per lifetime	ktCO _{2,eq}	1.673
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	948.3
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	948.7

9.3 Emission plots




9.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	85.88
Retention coefficient	-	0.6129
Influent total N concentration	$\mu\text{g L}^{-1}$	6.471
Reservoir TN concentration	$\mu\text{g L}^{-1}$	2.505
Reservoir TP concentration	$\mu\text{g L}^{-1}$	33.55
Percentage of reservoir's surface area that is littoral	%	4.571
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.090
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	61.08
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	24.36
Water density at the bottom of the reservoir	kg m^{-3}	997.2
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	27.68
Water density at the surface of the reservoir	kg m^{-3}	996.4
Thermocline depth	m	2.102
Influent total N load	kgN yr^{-1}	4314
Influent total P load	kgP yr^{-1}	57 260
Downstream TN concentration	mg L^{-1}	0.002 428

10 Yenwe

10.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		127
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 18.085211, LON: 96.446152
Monthly Temperatures	°C	22.2, 24.1, 27.3, 30.0, 29.3, 26.9, 26.5, 26.5, 27.0, 27.3, 25.8, 22.9
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	1242
Catchment area	km ²	817.9
Length of inundated river	km	34.98
Population	capita	63 020
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.07, 0.003, 0.419, 0.508, 0.0
Mean catchment slope	%	10.00
Mean annual precipitation	mm/year	2254
Mean annual evapotranspiration	mm/year	1341
Soil wetness	mm over profile	368.0
Soil Olsen P content	kgP ha ⁻¹	8.192
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	1 089 000 000
Reservoir area	km ²	76.24
Maximum reservoir depth	m	53.00
Mean reservoir depth	m	14.30
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.622, 0.03, 0.296, 0.052, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.974
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	0.9300
Water intake depth below surface	m	N/A



10.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	877.6
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	602.3
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-26.69
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	275.3
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	302.0
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	23 030
Total CO ₂ emission per lifetime	ktCO _{2,eq}	2303
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	236.9
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	215.8
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	704.4
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	1157
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	88 220
Total CH ₄ emission per lifetime	ktCO _{2,eq}	8822
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	3.220
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	1.398
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	2.309
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	245.5
Total N ₂ O emission per lifetime	ktCO _{2,eq}	24.55
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1459
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	1461

10.3 Emission plots




10.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	53.34
Retention coefficient	-	0.4621
Influent total N concentration	$\mu\text{g L}^{-1}$	99.72
Reservoir TN concentration	$\mu\text{g L}^{-1}$	53.48
Reservoir TP concentration	$\mu\text{g L}^{-1}$	30.94
Percentage of reservoir's surface area that is littoral	%	14.59
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	5.030
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	60.36
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	25.27
Water density at the bottom of the reservoir	kg m^{-3}	997.0
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.47
Water density at the surface of the reservoir	kg m^{-3}	996.1
Thermocline depth	m	2.176
Influent total N load	kgN yr^{-1}	101 300
Influent total P load	kgP yr^{-1}	54 180
Downstream TN concentration	mg L^{-1}	0.072 34

11 Hutgyi

11.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		33
Reservoir type		unknown
Reservoir coordinates (lat/lon)	°	LAT: 17.528, LON: 97.747
Monthly Temperatures	°C	22.0, 24.0, 27.2, 29.8, 28.9, 26.9, 26.4, 26.3, 26.8, 26.8, 25.3, 22.6
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	boreal
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	340.0
Catchment area	km ²	258 900
Length of inundated river	km	52.38
Population	capita	8 274 000
Area fractions	-	0.002, 0.009, 0.001, 0.003, 0.001, 0.069, 0.659, 0.256, 0.0
Mean catchment slope	%	29.00
Mean annual precipitation	mm/year	1036
Mean annual evapotranspiration	mm/year	896.0
Soil wetness	mm over profile	154.0
Soil Olsen P content	kgP ha ⁻¹	5.845
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	373 500 000
Reservoir area	km ²	27.20
Maximum reservoir depth	m	43.00
Mean reservoir depth	m	13.70
Inundated area fractions	-	0.0, 0.0, 0.0, 0.364, 0.014, 0.396, 0.141, 0.071, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.011, 0.0, 0.0, 0.004, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.756
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	4.870
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	3.995
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.459
Mean monthly wind speed	m s ⁻¹	0.9600
Water intake depth below surface	m	N/A



11.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	423.8
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	290.8
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-10.41
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	133.0
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	143.4
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	3900
Total CO ₂ emission per lifetime	ktCO _{2,eq}	390.0
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	228.9
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	168.9
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	5539
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	5937
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	161 500
Total CH ₄ emission per lifetime	ktCO _{2,eq}	16 150
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	0.059 95
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.066 65
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	0.063 30
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	1.631
Total N ₂ O emission per lifetime	ktCO _{2,eq}	0.1631
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	6080
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	6080

11.3 Emission plots




11.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	$\mu\text{g L}^{-1}$	120.3
Retention coefficient	-	0.003 387
Influent total N concentration	$\mu\text{g L}^{-1}$	2.475
Reservoir TN concentration	$\mu\text{g L}^{-1}$	2.467
Reservoir TP concentration	$\mu\text{g L}^{-1}$	119.9
Percentage of reservoir's surface area that is littoral	%	14.33
Mean radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	4.870
Cumulative global horizontal radiance at the reservoir	$\text{kWh m}^{-2} \text{d}^{-1}$	58.44
Bottom (hypolimnion) temperature in the reservoir	$^{\circ}\text{C}$	25.14
Water density at the bottom of the reservoir	kg m^{-3}	997.0
Surface (epilimnion) temperature in the reservoir	$^{\circ}\text{C}$	28.20
Water density at the surface of the reservoir	kg m^{-3}	996.2
Thermocline depth	m	1.783
Influent total N load	kgN yr^{-1}	217 900
Influent total P load	kgP yr^{-1}	10 590 000
Downstream TN concentration	mg L^{-1}	0.002 470

12 Bawgata

12.1 Inputs


Input Name	Unit	Value(s)
Reservoir ID		8
Reservoir type		unknown
Reservoir coordinates (lat/lon)	$^{\circ}$	LAT: 18.268924, LON: 96.859766
Monthly Temperatures	$^{\circ}\text{C}$	21.2, 23.1, 25.9, 28.4, 27.8, 25.8, 25.4, 25.4, 25.9, 26.0, 24.5, 21.9
Year vector for emission profiles	yr	1, 5, 10, 20, 30, 40, 50, 65, 80, 100
Calculated gas emissions	-	CO ₂ , CH ₄ , N ₂ O
Biogenic factors		
Biome	-	tropical moist broadleaf
Climate	-	tropical
Soil Type	-	mineral
Treatment Factor	-	primary (mechanical)
Landuse Intensity	-	low intensity
Inputs for catchment-level process calculations		
Annual runoff	mm/year	902.0
Catchment area	km ²	228.0
Length of inundated river	km	8.112
Population	capita	11 370
Area fractions	-	0.0, 0.0, 0.0, 0.0, 0.0, 0.011, 0.505, 0.484, 0.0
Mean catchment slope	%	22.00
Mean annual precipitation	mm/year	1912
Mean annual evapotranspiration	mm/year	1302
Soil wetness	mm over profile	448.0
Soil Olsen P content	kgP ha ⁻¹	12.64
Inputs for reservoir-level process calculations		
Reservoir volume	m ³	854 600 000
Reservoir area	km ²	10.05
Maximum reservoir depth	m	213.0
Mean reservoir depth	m	85.10
Inundated area fractions	-	0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.028, 0.972, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0
Soil carbon in inundated area	kgC m ⁻²	5.744
Mean monthly horizontal radiance	kWh m ⁻² d ⁻¹	5.030
Mean monthly horizontal radiance: May - Sept	kWh m ⁻² d ⁻¹	4.340
Mean monthly horizontal radiance: Nov - Mar	kWh m ⁻² d ⁻¹	5.458
Mean monthly wind speed	m s ⁻¹	0.9700
Water intake depth below surface	m	N/A



12.2 Outputs

Name	Unit	Value
CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	554.2
Nonanthropogenic CO ₂ diffusion flux	gCO _{2,eq} m ⁻² yr ⁻¹	380.4
Preimpoundment CO ₂ emissions	gCO _{2,eq} m ⁻² yr ⁻¹	-499.0
CO ₂ emission minus non-anthropogenic	gCO _{2,eq} m ⁻² yr ⁻¹	173.9
Net CO ₂ emission	gCO _{2,eq} m ⁻² yr ⁻¹	672.8
Total CO ₂ emission per year	tCO _{2,eq} yr ⁻¹	6759
Total CO ₂ emission per lifetime	ktCO _{2,eq}	675.9
CH ₄ emission via diffusion	gCO _{2,eq} m ⁻² yr ⁻¹	84.82
CH ₄ emission via ebullition	gCO _{2,eq} m ⁻² yr ⁻¹	41.57
CH ₄ emission via degassing	gCO _{2,eq} m ⁻² yr ⁻¹	118.1
Pre-impounment CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	0.0
Net CH ₄ emission	gCO _{2,eq} m ⁻² yr ⁻¹	244.5
Total CH ₄ emission per year	tCO _{2,eq} yr ⁻¹	2457
Total CH ₄ emission per lifetime	ktCO _{2,eq}	245.7
Net N ₂ O emission, method A	gCO _{2,eq} m ⁻² yr ⁻¹	2.309
Net N ₂ O emission, method B	gCO _{2,eq} m ⁻² yr ⁻¹	0.4840
Net N ₂ O emission, mean value	gCO _{2,eq} m ⁻² yr ⁻¹	1.397
Total N ₂ O emission per year	tCO _{2,eq} yr ⁻¹	23.20
Total N ₂ O emission per lifetime	ktCO _{2,eq}	2.320
CO ₂ +CH ₄ net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	917.4
CO ₂ +CH ₄ +N ₂ O net emissions	gCO _{2,eq} m ⁻² yr ⁻¹	918.8

12.3 Emission plots



12.4 Intermediate variables

Name	Unit	Value
Influent total P concentration	μg L ⁻¹	55.67
Retention coefficient	-	0.7689
Influent total N concentration	μg L ⁻¹	22.17
Reservoir TN concentration	μg L ⁻¹	5.126
Reservoir TP concentration	μg L ⁻¹	13.36
Percentage of reservoir's surface area that is littoral	%	2.109
Mean radiance at the reservoir	kWh m ⁻² d ⁻¹	5.030
Cumulative global horizontal radiance at the reservoir	kWh m ⁻² d ⁻¹	60.36
Bottom (hypolimnion) temperature in the reservoir	°C	24.62
Water density at the bottom of the reservoir	kg m ⁻³	997.2
Surface (epilimnion) temperature in the reservoir	°C	27.03
Water density at the surface of the reservoir	kg m ⁻³	996.5
Thermocline depth	m	1.609
Influent total N load	kgN yr ⁻¹	4560
Influent total P load	kgP yr ⁻¹	11 450
Downstream TN concentration	mg L ⁻¹	0.003 394